

10mm/mV

10mm/mV

10mm/mV

V3

V4

V5

V6

aVL

aVF

V1

V2

I

II

III

aVR

25mm/s

V3

V4

V5

V6

aVL

aVF

V1

V2

I

II

III

aVR

25mm/s

Service National de la Sante au Travail
1970-01-05 18:50

<< Conclusions >>

ID: _____

Nom: _____

Sexe: _____

Taille: _____ cm

Poids: _____ kg

SYS: _____ mmHg

DIA: _____ mmHg

Age: _____

FC [bpm]: 63

Intervalle PR [ms]: 162

Durée P [ms]: 140

Durée QRS [ms]: 135

Durée T [ms]: 427

QT/QTc [ms]: 622/638

Axe P/QRS/T [deg]: 47.9/-105.6/41.3

R (V5)/S (V1) [mV]: 0.47/0.35

R (V5)+S (V1) [mV]: 0.82

Ryth. sinusoidal norm.;
Dévia. ax. droite sévère;
V5 Onde T anormale;

Le rapport doit être confirmé par un médecin

Médecin _____

80mmx20m-30m

34 ans

10mm/mV

V1

V2

V3


10mm/mV

V4

V5

V6

60mmx20m-30m



AUTO 10mm/mV V₁ EIA Barry 8/5/24 10mm/mV

I



aVR



II



aVL



III



aVF



3/4/2024

25mm/s AC50Hz+EMC35Hz+DFT

80mmx20m-30m