

Acuité Loin

  
5 m

Photopique haut

Dt Gc



|   |   |   |   |   |   |   |   |    |    |
|---|---|---|---|---|---|---|---|----|----|
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 |
|   |   |   |   |   |   |   |   |    | ●  |
|   |   |   |   |   |   |   |   |    | ●  |
|   |   |   |   |   |   |   |   |    | ●  |

Acuité près

  
33 cm

Photopique haut

Dt Gc



|   |   |   |   |   |   |   |   |    |    |
|---|---|---|---|---|---|---|---|----|----|
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 |
|   |   |   |   |   |   |   |   | ●  |    |
|   |   |   |   |   |   |   |   | ●  |    |
|   |   |   |   |   |   |   |   | ●  |    |

Couleurs Loin

☐ Echec

☐ Echec

☐ Echec

Bino

Droite


Gauche

|   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 | 1 | 4 | 5 | 6 | 3 | 2 | 7 | 9 | 0 | 1 | 8 |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Champ périphérique

Gauche

Droite



● Perçus

▲ Non perçus

○ Non testés

Vertical droit : 60°

Vertical gauche : 60°

Horizontal droit : 140°

Horizontal gauche : 140°

Horizontal : 180°

|            | Gauche |     |     | Droite |     |     |
|------------|--------|-----|-----|--------|-----|-----|
|            | 10°    | 20° | 30° | 10°    | 20° | 30° |
| Total      | 4      | 19  | 36  | 4      | 19  | 36  |
| Testés     | 0      | 0   | 2   | 0      | 0   | 2   |
| Non perçus | 0      | 0   | 0   | 0      | 0   | 0   |

Visiolite V07.00.00 - S/N 546 - F.I.M. Médical - 51 rue A. Primat 69100 Villeurbanne - Tel: +33 472 34 89 89 - www.fim-medical.com

BANGOURA NANA INFIRMIERE - Tel : 610907752